HOW TO DILUTE BLEACH FOR DISINFECTING



USE ONLY SODIUM HYPOCHLORITE (BLEACH-BASED)
PRODUCTS FOR DISINFECTION. THE MEASUREMENTS
BELOW ARE FOR A 0.1% HYPOCHLORITE SOLUTION.

ORIGINAL STRENGTH OF BLEACH	BLEACH (ML)	WATER (ML)	TOTAL (ML)
1%	100	900	1000
2%	100	1900	2000
3%	100	2900	3000
4%	100	3900	4000
5%	100	4900	5000



NEVER MIX BLEACH WITH OTHER CLEANING CHEMICALS (LIKE VINEGAR OR WINDOW CLEANER). IT CAN CREATE HARMFUL GASES AND LIQUIDS.

DISINFECTING DURING AN OUTBREAK









USE A DILUTED BLEACH (SODIUM HYPOCHLORITE) SOLUTION.



WEAR GLOVES AND A MASK. ESPECIALLY IF HANDLING UNDILUTED BLEACH.



LEAVE THE BLEACH SOLUTION ON SURFACES FOR 30 MINS. AND RINSE OFF WITH WATER.




CLEAN AND DISINFECT ALL AREAS AT LEAST TWICE A DAY.



USE EXPIRED CLEANING PRODUCTS.

USE CLEANING PRODUCTS





- AMMONIA-BASED **PRODUCTS**
- ALCOHOL-BASED **PRODUCTS**
- HYDROGEN PEROXIDE **CLEANERS**



MIX BLEACH WITH OTHER CLEANING CHEMICALS.



USE BLEACH SOLUTIONS OLDER THAN 24 HOURS. BLEACH SOLUTIONS LOSE STRENGTH OVER TIME.